

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S28	695	285/424.ccls. not 285/419.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:08
S29	1	("6796004").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 16:51
S30	635	24/279.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:19
S31	30	("1146813" "2004182" "2227551" "2690193" "2908061" "2998629" "3004781" "3565468" "3905623" "3944265" "4049298" "4056273" "4142743" "4165109" "4261600" "4312526" "4364588" "4365392" "4408788" "4463975" "4558891" "4790574" "4813720" "5116083" "6116659" "6269524" "6634607" "0848139" "0852997" "0973466").PN.	US-PGPUB; USPAT	OR	ON	2005/03/08 16:15
S33	1	("6780527").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/08 16:16
S34	635	24/279.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/10 17:59
S35	190	S34 and thread\$3	US-PGPUB; USPAT	OR	ON	2005/03/10 17:59
S36	15	("3507314" "3905623" "4261600" "4310956" "4312526" "4364588" "4660862" "4813720" "5131698" "5271648" "5310158" "5842725" "6269524" "RE30042").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/10 18:00
S37	427	285/419.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:11
S38	95	S37 and bolt	US-PGPUB; USPAT	OR	ON	2005/03/10 18:11
S39	635	138/99.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 10:56
S40	137	S39 and (bolt or screw)	US-PGPUB; USPAT	OR	ON	2005/03/11 08:47
S41	67	285/148.26.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 11:00

S42	101	24/284.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:47
S43	635	24/279.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:19
S44	85	S42 not S43	US-PGPUB; USPAT	OR	ON	2005/03/11 08:19
S45	56	24/285.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:22
S46	28571	(bolt or screw) and (clamp) and diameter and (seal or sealing)	US-PGPUB; USPAT	OR	ON	2005/03/11 08:47
S47	2488	S46 and shank	US-PGPUB; USPAT	OR	ON	2005/03/11 08:23
S48	157	S47 and unthreaded	US-PGPUB; USPAT	OR	ON	2005/03/11 08:24
S49	427	285/419.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:39
S50	424	S49 not S41	US-PGPUB; USPAT	OR	ON	2005/03/11 08:40
S51	58	24/205.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:43
S52	1381	248/74.1,74.3.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 08:47
S53	516	S52 and (bolt or screw)	US-PGPUB; USPAT	OR	ON	2005/03/11 08:47
S54	318	S53 and diameter	US-PGPUB; USPAT	OR	ON	2005/03/11 08:48
S55	180	S54 and thread\$3	US-PGPUB; USPAT	OR	ON	2005/03/11 10:30
S57	290	285/253.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 10:56
S58	83	S57 and diameter	US-PGPUB; USPAT	OR	ON	2005/03/11 11:01

S59	153	292/256.67.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/11 11:00
S60	29	S59 and diameter	US-PGPUB; USPAT	OR	ON	2005/03/11 11:01